
175 Watt Power Inverter User Guide

Features and Accessories



Important Safety Information

SAVE THESE INSTRUCTIONS – this manual contains safety and operating instructions for the Inverter. Misusing or incorrectly connecting the Inverter may damage the equipment or create hazardous conditions for users. Read the following safety instructions and pay special attention to all Caution and Warning statements in the guide. Failure to follow these safety guidelines may cause personal injury and/or damage to the inverter. It may also void your product warranty.

- Warnings identify conditions that may result in personal injury or loss of life.
- Cautions identify conditions or practices that may damage the unit or other equipment.

This guide contains important safety and operating instructions in how to use the Inverter to power loads using the AC outlet and USB port. Read this guide fully for safe operation of this Inverter.

- Do not expose the Inverter to moisture, rain, or snow.
- Do not operate the inverter if it has received a sharp blow, been dropped, or otherwise damaged in any way; contact the manufacturer for repair or replacement.
- Do not disassemble the inverter. Incorrect reassembly may result in shock or fire hazard.
- 4. To reduce risk of electric shock, unplug the inverter from the DC accessory outlet before attempting any maintenance or cleaning.

✓ WARNING: BURN, FIRE HAZARD

The inverter housing may become warm and may reach temperatures approaching or beyond 140° F (60° C) under extended high power operation. During operation, keep it away from materials that may be affected by these temperatures. Do not use the inverter in ambient temperatures above 104° F (40° C). Allow for proper ventilation and do not cover the ventilation openings with anything that may overheat the inverter during operation.



This product is NOT tested, designed nor intended to be used with life support systems or any other medical devices.



✓!\ WARNING: PROPER APPLICATION

Do not use this product for any application except that for which it is intended.

Inverter Operating Instructions


MARNING: RISK OF UNSAFE OPERATION

When using tools or equipment, basic safety precautions should always be followed to reduce the risk of personal injury. Improper operation, maintenance or modification of equipment could result in serious injury and property damage. We strongly recommend that this product NOT be modified and/or used for any application other than for which it was designed. Read and understand all warnings and operating instructions before using any equipment.

CAUTION: VEHICLE BATTERY DISCHARGE

Some vehicles' DC accessory socket remain powered even when the ignition switch or engine is turned off. To avoid discharging the vehicle's battery, always remove the inverter from the DC accessory socket when not in use.

1. Plug the removable cable into the inverter's input socket.



- Plug the accessory plug into your vehicle's accessory socket.
- Plug an AC-powered device into the three-prong AC receptacle and turn it on. Make sure that the power rating of the device is less than the "peak nower" of the inverter
- Plug a USB-powered device into the USB port. The USB port can be used separately and simultaneously while AC loads are connected and running via the AC receptacle.

Troubleshooting

This section will help you identify the source of most problems that can occur with the inverter. If you have a problem with the inverter, please review this section before contacting your dealer.

Possible cause	Remedy
An overload/over-temperature shutdown has occurred.	Use an AC-powered device that has a power rating of less than the rated "peak power". Allow the inverter to cool down, or try to reduce the ambient temperature and try again. Do not cover the inverter's ventilation openings.
High starting surge has caused an overload shutdown.	Use an AC-powered device that has a surge power rating less than the surge power rating of the Inverter.
Vehicle's ignition switch is turned off thus the DC accessory socket is also off.	Turn the vehicle's ignition switch to ON. Consult your vehicle's manual for instructions.
Poor contact with the DC accessory socket	Adjust the inverter's DC plug to ensure a snug fit. If needed, clean the DC accessory socket.
Vehicle battery is discharged.	Recharge the vehicle battery.
Vehicle fuse blown due to heavy load on the accessory socket	Replace the blown fuse. Consult your vehicle's manual for fuse location, fuse type, and instructions.
USB connector is not inserted properly into the USB port.	Ensure that the USB cable's connectors are properly fitted into the USB ports of either device.

Interference with Electronic Equipment

Generally, most AC products operate with the inverter just as they would with household AC power. Following is information concerning two possible exceptions.

Buzzing sound in audio systems and radios

Some low quality stereo systems and AM-FM radios have inadequate internal power supply filtering and "buzz" slightly when powered by the inverter. Generally, the only solution is an audio product with a higher quality filter.

Television interference

The inverter is shielded to minimize its interference with TV signals. However, with weak TV signals interference may be visible in the form of lines scrolling across the screen. The following should minimize or eliminate the problem:

- Increase the distance between the inverter and the TV, antenna and
- Adjust the orientation of the inverter, television, antenna and cables.
- · Maximize TV signal strength by using a better antenna and use shielded antenna cable where possible.

Specifications

NOTE: Specifications are subject to change without notice

DC Input Specifications	
Input voltage	11-15 Vdc

AC and USB Output Specifications		
AC output power (peak)	175 W	
AC output power (continuous)	150 W	
AC output voltage (nominal)	115 Vac	
AC output frequency	60 Hz	
AC output wave form	Modified sine wave	
USB output voltage	5 Vdc	
USB output current	2.1 Adc	

Physical Specifications	
Dimensions (L x W x H)	7.4 x 2.3 x 1.8 in. / 18.9 x 5.8 x 4.6 cm
Weight	0.7 lbs. / 0.3 kg

Protections

DC under voltage, DC over voltage, output overload, short circuit, DC Input reverse, over temperature

Recycling Information

Battery-Biz is committed to environmental responsibility and recommends that electronic devices be disposed of properly. Please contact your local city offices for information on recycling and disposal programs for e-waste.

For instructions on how to recycle this product visit http://www.call2recycle.org.

Contacting Customer Support

If you experience any problems or have any questions regarding your DURACELL® inverter, free technical support is available. Prior to calling please review the technical support tips below.

Call from a phone where you have access to your device.

Be prepared to provide the following information:

- Name, address and telephone number
- Name of the DURACELL® product
- Make and model of your device
- Symptoms of the problem(s) and what led to them

Technical Support is available by telephone:

U.S. and Canada (800) 300-1857 Outside of the US/Canada: (805) 437-7765

Written inquires should be directed to:

Battery-Biz Inc. DURACELL® Product Inquiry

1380 Flynn Road, Camarillo, CA 93012, USA

Warranty and Return Information

Three Year Limited Warranty

The DURACELL® inverter carries a limited warranty against defects in material and workmanship under normal use and service for three years from the original date of purchase. The manufacturer or distributor, at its option, shall repair or replace the defective unit covered by this warranty. Please retain the dated sales receipt as evidence of the date of purchase as it will be required for any warranty service. In order to keep the warranty in effect, the product must have been handled and used as described in the instructions accompanying this warranty. This warranty does not cover any damage due to accident, misuse, abuse or negligence.

Disclaimer Of Warranty

The limited warranty described herein is your sole remedy. To the extent permitted by law, the manufacturer and distributor disclaim all other implied or express warranties including all warranties of merchantability and/or fitness for any particular purpose.

Limitation Of Liability

Except to the extent of repairing or replacing this product as expressly stated in the limited warranty described herein, the manufacturer and distributor shall not be liable for any damages, whether direct, indirect, incidental, special, consequential, exemplary, or otherwise, including lost revenues, lost profits, loss of use of software, loss or recovery of data, rental of replacement equipment, downtime, damage to property, and third-party claims, arising out of any theory of recovery, including statutory, contract or tort. Not withstanding the term of any limited or implied warranty, or in the event that any limited warranty fails of its essential purpose, in no event will the manufacturer's and distributors entire liability exceed the purchase price of this product. Some states and provinces do not allow the exclusion or limitation of incidental or consequential damages so the above limitations or exclusions may not apply to you. This limited warranty gives you specific legal rights. You may have other rights which vary from state to state and province to province.

© 2018 DURACELL, Bethel, CT 06801. Duracell is a registered trademark of Duracell U.S. Operations, Inc., used under license. All rights reserved. All logos and trademarks are used for identification purposes only and may be trademarks or regist